













**LeBronze Alloys UK - Sale 1**

**(Ends: 16 Oct 2020)**

**Private Treaty Sale Of Foundry Machinery And Equipment Formerly Used By LeBronze Alloys UK**

Lot no.	Description
1	 <p><b>Brightside Bar Rolling Mill OFFER ACCEPTED</b></p> <p>Brightside Bar Rolling Mill, 2 - 4" diameter bar, 54" between frames, 16" diameter roll, 21m x 7m in and outfeed rollers, integrated bar straightener, 400HP Motor, Foundation drawing available</p> <p>PLEASE NOTE: AN OFFER HAS BEEN ACCEPTED ON THIS LOT</p>
2	 <p><b>Twin Stand Bar Rolling Mill</b></p> <p>Twin Stand Bar Rolling Mill, Taylor and Farleigh Station 1 : 74" between frames, 22" diameter rolls, 4 - 8" Diameter bar capability, 2500mm x 6000mm in and outfeed rollers. WHA Robertson Station 2: 74" between frames, 16" rolls. 1.5 - 4" diameter bar capability, 2500mm x 6000mm in and outfeed rollers ...</p>
3	 <p><b>C.W Juby Ltd Straightening Press</b></p> <p>C.W Juby Ltd 28' Bar Straightening Press, Drawings available</p>
4	 <p><b>James Farmer Norton 7" Centreless Bar Peeler</b></p> <p>James Farmer Norton 7" Centreless Bar Peeler, 16' Infeed and Outfeed table guides, Control Techniques, 75kW Inverter Drive fitted in 2006, Large gear 112 teeth, Small gear 28teeth, Lower gear 27 teeth, Drawings available</p>
5	 <p><b>Farmer Norton 4" Centreless Bar Peeler</b></p> <p>Farmer Norton 4" Centreless Bar Peeler, 10' Infeed and Outfeed table guides, pDrive MX basic inverter, Drawings available</p>

Lot no.	Description
6	 <p><b>Fielding 250T Bar Stretcher</b> Fielding 250T Bar Stretcher</p>
7	 <p><b>James Farmer Norton 40T Draw Bench</b> James Farmer Norton 40T Draw Bench, 15000mm x 3000mm overall footprint, Drawings available</p>
8	 <p><b>14' Electric Bar Oven</b> 14' Electric Bar Oven, Powered feeds, 3 zone heating, 15' quench tank and Eurotherm controls</p>
9	 <p><b>14' Electric Bar Oven</b> 14' Electric Bar Oven, Powered feeds, 3 zone heating and Eurotherm controls</p>
10	 <p><b>Stainless Steel Pickling Tanks - OFFER ACCEPTED</b> Stainless Steel Pickling Tanks, 32' x 2.5' x 4' deep (Qty 2) OFFER ACCEPTED</p>
11	 <p><b>Nederman Extraction</b> Nederman Extraction, Air volume of 30,000Am<sup>3</sup>/hr, Cyclone separator is an 1850 Dia. Filter is a Nederman Mikropul FS722/2.75/385 (385), Fan is a Reitz MXE063-050015-00 with 75KW inverter driven motor design duty 31,500Am<sup>3</sup>/hr @ 4600daPa @ 80 deg C, YOM : 2017</p>

Lot no.	Description
12	 <p data-bbox="496 405 1398 499"><b>Steel Chimney Stack</b> Steel Chimney Stack, 36m High. MORE DETAILS TO FOLLOW</p>
13	 <p data-bbox="496 810 1463 905"><b>Craven Travelling Table Bed Mill</b> Craven Travelling Table Bed Mill, 120 rpm max, 180" X 32" bed size,</p>
14	 <p data-bbox="496 1016 1105 1110"><b>Danobat CP-520-AF Horizontal Bandsaw</b> Danobat CP-520-AF Horizontal Bandsaw</p>
15	 <p data-bbox="496 1222 1393 1358"><b>Lang Gap Bed Lathe</b> Lang Gap Bed Lathe, 16" centre height, 32" swing over bed, 12' machine bed, 24" 4 jaw chuck, 3.5" spindle bore, 405 rpm</p>
16	 <p data-bbox="496 1428 1458 1596"><b>Crawford Swift V5 Gap Bed Lathe</b> Crawford Swift V5 Gap Bed Lathe, 14" centre height, 28" swing over bed, 22" 4 jaw chuck, 17' machine bed, Powered feeds, 420rpm, 4" spindle bore, Drawings available</p>
17	 <p data-bbox="496 1633 1458 1801"><b>Swift 16C Centre Lathe OFFER ACCEPTED</b> Swift 16C Gap Bed Lathe, 16" centre height, 32" swing over bed, 20' machine bed, 300 rpm, Powered feeds, 3 point steady, 25" 4 jaw chuck, 4" spindle bore</p>

---

**Lot  
no.**

**Description**

---

18



**Farmer Norton No4 Bar Straightener OFFER ACCEPTED**

Farmer Norton No 4 Bar Straightening Machine

Capacity in mild steel .5 to 3.5 inches

Capacity in high carbon steel -5 to 3.0 inches

Through put feeds 30-60 Ft per min

Machine weight 17,5 Tons

---

19



**Hudson Bar Peeler**

Hudson Bar Peeler

Thought to be 3 inch capacity

---